

---

## Subject Index

- acceleration, 27, 106, 160, 163–166
- adjacency, 52, 53
- albedo, 273, 274
- aliasing, 259
- angle, 54, 63, 79, 82, 134, 192, 273
  - acute, 77, 100, 105
  - obtuse, 78, 79, 282
- anthropometry, 267, 271
- applicable, 31, 32, 106, 107, 125, 154, 264
- arclength, 27, 53, 204, 240
- area, 23, 25, 36, 42, 43, 49, 61, 62, 64, 65, 97, 141, 142, 151, 177, 180, 183, 222, 224, 225, 233, 234, 242, 283
- Armijo rule, *see* backtracking
- Arnoldi algorithm, 172, 176
- artificial variable, 150, 210
- atlas, 20–22
- authentication, *see* one-to-one
  
- backtracking, 88, 89, 99
- ball
  - circumscribed, 54
  - closed, 13, 54
  - metric, 43, 46, 54, 156, 176
  - open, 13
- barrier, 113, 114, 118
- barycentric coordinates, 55, 195, 197, 200, 254, 255
  
- basin of attraction, 109
- Bellman principle, 69
- bending, 31–34, 255
- BFGS algorithm, 108
- bijection, 14, 15, 20, 39, 240, 241
- bilinear, 29, 30
- biometric, 261, 266, 267, 275
- biorthonormality, 135
- block matrix, 146
- body painting, 248, 250
- boundedness, 13–15, 63, 85, 124, 144, 157, 254, 291
- brightness, 273, 274
  
- canonical form, 139, 142, 150, 154, 157, 165, 169–176, 192–194, 208, 241, 269, 270, 272–274
- cartography, 20, 139, 140
- Cauchy-Green deformation tensor, 244
- centaur, 217, 218, 223–225, 232, 238
- center of gravity, 123
- characteristic, 5, 36, 37, 75, 83, 84, 88–90, 124, 236, 261, 267, 273, 290
- chart, 20, 24, 91
- classic scaling, 184
- compactness, 13, 14, 18, 30, 36, 43, 59, 63, 64, 178
- compatible meshing, 252

- completeness, 18, 19, 30, 55, 124, 125, 165, 275
- condition number, 101, 103, 104
- congruence, 28, 29, 31, 32, 119, 125, 126, 241
- connectedness, 13, 14, 18, 19, 30, 33, 36, 53, 71, 82, 89, 165, 211, 234
- connectivity, *see* adjacency
- connectivity pattern, 57, 82, 83
- constraint
  - equality, 110, 111, 114
  - inequality, 110, 112–114
- continuity
  - bi-Lipschitz, 15, 16
  - Lipschitz, 14, 15, 37, 106
- contraction, 14
- convergence, 13, 91, 99, 102–109, 129, 131, 133, 147, 149, 153, 154, 160, 161, 164, 167, 171, 182, 184, 203, 229
- convergence rate, 102–104
- convexity, 19, 33, 34, 40, 47, 48, 54, 55, 63, 64, 94, 96–98, 102, 106, 108, 109, 111, 115–117, 132, 134, 144, 147, 167, 190, 195, 200, 204, 220, 238, 254–258, 282, 283, 289
- correction, 156–159
- correspondence
  - intrinsic, 6, 245, 258
  - non-rigid, 257
  - rigid, 133, 239, 240
- cost, *see* objective
- covering, 22, 43–46, 48, 63, 64, 116, 154, 178, 280
- curvature
  - Gaussian, 28, 34–36, 38, 39, 60, 139, 180, 242, 244
  - geodesic, 27, 38
  - mean, 28, 280
  - normal, 27, 28
  - principal, 27, 34, 35, 60, 127, 128
- decimation, 156, 158, 159
- delta function, 236
- descent
  - gradient, 89, 101–105, 144–146
  - normalized steepest, 101
  - projected, 191
  - steepest, 101, 104–106, 108, 118, 200
- determinant, 25, 34, 38
- diffeomorphism, 40
- differentiability, 14, 19, 21, 91, 94, 105, 106, 149, 204
- differential, 24–26, 35, 37, 40, 49, 63, 74, 75, 88, 89, 91, 158, 177, 204, 242, 243
- diffusion map, 175
- Dijkstra algorithm, 185
- dilation, 14–16, 151
- Dirichlet energy, 244
- disjoint union, 208
- disparity, 242
- distance
  - embedding, 207–209, 231
  - fuzzy Pareto, 228, 236
  - Gromov-Hausdorff, 17, 205, 208, 209, 211, 212, 214, 215, 217, 224, 231, 232
  - Hausdorff, 61, 62, 126, 133, 137, 208, 211, 219, 229, 267
  - Manhattan, 72
  - Pareto, 223, 224
  - point-to-plane, 77, 126–129, 134
  - point-to-surface, 127, 128, 134
  - Pottmann-Hofer, 128
  - Salukwadze, 226
  - surface-to-surface, 125, 126, 132
- domain of dominance, 47
- dynamic programming, 69, 70, 75, 89
- eccentricity, 123
- eigendecomposition, 118, 122, 147, 171, 172, 174–177, 184, 185, 289
- eigenface, 264
- eigenfunction, 178–180, 182
- eigenmap, 174–176

- eikonal equation, 75, 78, 80, 82–84, 89–91
- elasticity, 244
- embedding
  - Euclidean, 139, 187, 274
  - isometric, 20, 139–141, 169
  - non-Euclidean, 187, 193, 274
  - spherical, 191, 203, 204, 274
- epigraph, 3, 9, 97, 116
- equal error rate, 264
- equidistant, 46, 47, 54, 59, 60, 81, 271
- equivalence class, 139, 206
- Euler characteristic, 36, 180
  
- facial expression, 6, 265, 267, 268, 270, 273–275
- false acceptance, 264
- false rejection, 264
- fast marching, 63, 73–76, 81–86, 88–90, 147, 150, 197, 269, 271
- fast sweeping, 84
- feasibility, 68, 110, 111, 114, 248, 272
- FMM, *see* fast marching
- Fourier transform, 275
- frame rate conversion, 257
- functional, 18, 30, 130, 204, 236, 242–244
- fuzzy set, 226–228, 231, 236
  
- gallery, 263, 264, 269, 270
- Gauss-Bonnet theorem, 36, 40, 235
- general position, 46
- genus, 36, 234, 235
- geodesic mask, 271, 272
- geometric moment, 123, 124, 133–135, 283
  - high-order, 125, 284
  - second-order, 122
- gradient, 75, 80, 83, 88, 89, 95, 96, 98, 100, 101, 105, 107, 110, 111, 115, 144, 147–150, 157, 167, 177, 200, 201, 204, 243, 283, 285, 287
  - extrinsic, 74, 82, 90, 236
  - intrinsic, 74, 75, 82, 90, 236, 243
- Gram matrix, 170, 172, 184, 286
- graph, 18, 38, 52–55, 57, 65, 67, 68, 71–73, 76, 86, 88, 91, 94, 97, 116, 173, 174, 180, 184
  - undirected, 18, 52, 68
- graphics processing unit, 90, 91
- great circle, 188, 190, 204
- grid
  - Cartesian, 53, 56, 57, 71, 195, 241
- group, 15, 16, 33, 188, 192, 213, 247
  - isometry, 15, 16, 33, 37, 119, 188, 192, 193, 204, 241
  - orthogonal, 204
- Guttman transform, 146
  
- half-plane, 47
- heap, 83, 91
  - Fibonacci, 71
- Hessian, 96, 102–108, 117, 146, 147, 167, 175, 177
  - frozen, 106
- holistic, 265
- Hopf-Rinow theorem, 30
  
- ICP, *see* iterative closest point algorithm
- identification, *see* one-to-many
- ill-conditioned, 104
- illumination, 265, 266, 273
- image
  - canonical, 274
  - depth, 57
  - geometry, 56–58, 195, 196, 269
- inequality
  - Cauchy-Schwartz, 177
  - triangle, 12, 206, 207, 217, 238, 289, 290
- initialization, 70, 76, 83, 98, 103, 109, 113, 133, 153–156, 158, 159, 161, 162, 203
- injection, 15, 19, 37, 40, 279
- interpolation, 154–156, 158, 159, 197, 198, 202–204, 255, 257
- invariance
  - deformation-, 5–7

- expression-, 6, 7, 268, 269, 274, 275
- isometry-, 138, 178, 192, 194, 205, 206, 240, 242, 244, 269, 274, 275
- isometry
  - almost-, 16, 17, 206
  - arcwise, 20
  - rigid, 128, 131, 134, 192, 193, 204
  - self-, 15, 245
- isospectrality, 178, 180, 184
- iterative closest point algorithm, 125, 126, 128–134, 137, 139, 192, 203, 204, 217, 229–231, 239, 267
- Jacobian, 23, 75, 243
- Klein bottle, 23
- Lagrange multiplier, 111, 114, 115, 117, 225, 283, 288
- Lagrangian, 111, 112, 114, 115
  - augmented, 114–116
- Lambert cosine law, 273
- Lanczos algorithm, 172
- landmark, 121, 154, 264
- Laplace operator, *see* Laplacian
- Laplace-Beltrami operator, 178, 180–182, 184, 186
- Laplacian, 174–178, 180–183, 185
- latitude, 22, 23, 188
- least action principle, *see* Fermat principle
- least squares, 142, 162, 172, 174, 241, 244
  - iteratively reweighted, 152
- Legendre moment, 124, 135
- limit, 13, 14, 19, 39, 62, 125, 141, 190, 229
- line search, 99–102, 105, 108, 144, 147, 158, 201
- LLE, *see* locally linear embedding
- local match error, 242, 244
- locally linear embedding, 173, 175, 184
  - Hessian, 175
- longitude, 22, 188
- Möbius stripe, 23
- majorization, 109, 110, 144, 145
- manifold, 9, 20–23, 29, 30, 36, 40, 56–59, 118, 180, 181, 184, 185, 187, 188, 204, 234, 236, 240, 255, 257
  - Riemannian, 30, 31, 40, 48, 51, 52, 63, 177, 180, 181
- MDS, *see* multidimensional scaling
- measure
  - area, 215
  - fuzzy, 227
- medial axis, 59, 60, 63, 134, 135
- membership function, 226, 227, 230
- mesh overlay, 252
- metric
  - geodesic, 137
  - intrinsic, 19, 25, 30, 31, 38, 65, 67, 68, 72
  - length, 18, 19, 25, 30, 53, 141
  - restricted, 19
  - Riemannian, 29, 30, 40, 177, 178
- min-max, 150, 210
- minimal geodesic, 30, 48, 53, 67, 88, 118
- minimal polynomial extrapolation, 163
- minimum
  - global, 93, 97, 109, 117
  - local, 94, 96, 97, 108, 109, 111, 116, 117, 129, 133, 154
- morphing, 7, 249–252, 254, 255, 257, 258
  - self-intersection free, 257–259
- MPE, *see* minimal polynomial extrapolation
- multidimensional scaling, 109, 110, 143–149, 151–157, 159, 160, 165–167, 169, 171, 172, 174, 176, 184, 185, 187, 189, 191, 193, 194, 197, 202–204, 207, 213, 217, 241, 258, 274

- generalized, 193, 194
- multigrid, 158–161, 163, 165
- Nash embedding theorem, 30, 31, 40, 141
- neighborhood, 13, 20, 21, 52, 56, 129, 155, 156, 173, 175, 202, 254, 255, 283
- net, *see* covering
- Newton’s algorithm, 105–108, 116–118, 131, 146–149, 163
  - quasi-, 107, 108, 116
  - truncated, 115
- Newton-Raphson method, 118
- non-rigid world, 2, 3, 6, 7, 9, 11, 67, 277
- norm, 12, 101, 104, 105, 124, 141, 147–149, 152, 177, 226, 242, 243, 290
  - Frobenius, 171, 175, 243, 285
  - Hilbert-Schmidt, 243, 259
- normal, 23, 26, 27, 39, 61–63, 90, 127, 135, 242, 249, 259, 273, 279, 283
- objective, 93, 94, 98, 106, 108–113, 128–131, 134, 142, 146, 150, 171, 222, 224, 228, 234, 283
- octree, 132
- one-to-many, 264
- one-to-one, 264
- optical flow, 242
- optimality, 46, 54, 89, 94, 96–98, 105, 116, 146, 222, 223, 226, 236, 288
- optimization
  - alternating, 51, 229
  - constrained, 110, 112, 116, 117, 167, 185, 210, 224, 230, 283
  - continuous, 191, 195
  - convex, 101
    - global, 94, 133
    - local, 94, 97, 108, 109
  - multicriterion, 222, 226, 228, 234, 236
  - non-convex, 133, 142
  - unconstrained, 93, 98, 108, 113–115, 225
- order relation
  - total, 224, 240
- orientability, 23, 36
- outlier, 126, 150
- parameterization
  - arclength, 240
  - canonical, 240
  - global, 22, 56, 195, 201, 245
  - local, 22, 195, 196, 202
- Pareto frontier, 223, 224, 226, 228, 234, 238
- Pareto optimum, 222–224, 228, 236, 238, 290
- partiality, 222–228, 230, 234
  - fuzzy, 227
- path, 18–20, 27, 29, 30, 38, 39, 68–71, 73–76, 88, 93, 138, 188, 196, 204
- path search, 201
- penalty, 111–115, 118, 157, 167, 173
- point cloud, 41, 44, 52, 55, 56, 165
- polylinear, 201
- positive-definiteness, 29, 30, 96, 104, 106, 108, 117
- preconditioning, 105, 117
- preimage, 14, 39
- probe, 263, 264, 269, 270
- product
  - inner, 23, 29, 94, 95, 177, 242, 279, 286, 288
  - outer, 25
- projection, 2, 27, 64, 101, 111, 121, 122, 184, 191, 204
- prolongation, *see* interpolation
- radius
  - convexity, 48
  - sampling, 43, 156
- raster scan algorithm, *see* Danielsson algorithm

- reduced rank extrapolation, 162–164, 167
- reflectance, 273
- reflection, 16, 172, 246, 274
- reflexivity, 205, 206
- regularity, 22, 23, 38, 53, 71, 74, 83–85, 91, 104, 110, 111, 195, 234, 235, 241, 243, 283
- regularization, 236, 243
- relaxation, 16, 159–161, 226
- remarkable theorem, *see* theorema egregium
- residual, 156, 162
- restriction, *see* decimation
- ROC, *see* receiver operating characteristic
- Rock, paper, scissors, 4
- rotation, 27, 119–122, 130, 131, 133, 172, 192, 229, 274, 284, 285
- RRE, *see* reduced rank extrapolation
  
- safeguard, 100, 105, 161
- Salukwadze optimum, 226, 236, 290
- sampling
  - centroidal Voronoi, 50
  - farthest point, 44, 50, 51, 63, 67, 154
  - uniform, 44
- sellion, 271
- separated set, 43–45, 63
- shock, 89
- shortest path problem, 68–70, 116
- similarity
  - extrinsic, 61, 129, 137, 165, 229
  - full, 219, 220, 223, 224, 228, 229
  - intrinsic, 5, 6, 137, 164, 165, 224, 229–232, 245
  - partial, 125, 217, 219–226, 229, 230, 232, 233, 236, 238
  - rigid, 137, 139, 230
- skeleton, *see* medial axis
- SMACOF algorithm, 145–149, 152, 153, 158, 160, 161, 163–166, 171, 269
- smoothness, 14, 17, 19, 21, 22, 24, 26, 27, 29, 30, 33, 36, 40, 55, 59, 64, 105, 113, 133, 149, 181, 182, 252, 257, 259, 261
- source, 69–71, 74, 76, 77, 81, 88, 91, 250–253, 255, 281
- space
  - embedding, 139–141, 157, 172, 173, 187, 189, 190, 192–195, 202, 209, 273–275
  - length, 18–21, 30, 39
  - metric, 11–13, 15–18, 25, 30, 37, 38, 43, 44, 63, 137, 139, 140, 187, 193, 208, 213
  - quotient, 206
  - tangent, 22, 25, 29, 39, 75, 82, 177, 236, 243, 256
  - topological, 56
  - vector, 12, 93, 96, 283
- sparsity, 43, 53, 150, 155, 156, 174, 176
- spherical harmonic, 124, 274, 275
- splitting, 79, 132
- SSE, 86, 91
- stereoscopic imaging, 242
- Stokes theorem, 177
- stopping criterion, 44, 98, 113, 147–149, 160
- strain, 171, 172, 184, 185
- stress
  - generalized, 195, 197, 203
  - modified, 157
  - relative, 151
  - weighted, 151, 152, 231
- subgradient, 149
- suboptimality, 102–105
- successive approximation, 70, 75
- super-resolution, 259
- surface
  - embedded, 21, 25, 26, 29–31, 188
  - flat, 32, 34, 35
  - hyperbolic, 28
- surjection, 16, 20, 207, 289
- Swiss roll, 147, 149, 160, 161, 163, 164

- symmetry, 12, 15, 16, 23, 29, 33, 38, 52, 59, 96, 108, 122, 126, 129, 146, 152, 172, 181–183, 197, 205–207, 212, 213, 221, 229, 231, 245, 246, 290
- Taylor expansion, 94, 99, 100, 105, 127, 130, 281, 284
- tessellation, 47, 48, 50, 51, 54, 60, 64, 65
  - Delaunay, 54, 59
  - Voronoi, 47, 48, 50, 54, 93
- texture mapping, 7, 240, 247, 266
- texture transfer, 248, 258, 259
- theorema egregium, 35–37, 139, 140
- three-dimensional scanner, 257, 269
- time of arrival, 74, 281
- topological  $\epsilon$ -algorithm, 163
- topology, 13, 14, 19–21, 36, 37, 47, 48, 52, 55, 58, 164, 165, 195, 234, 235, 251, 269, 272
- trajectory, 27, 252, 253, 255, 257, 259
- transitivity, 206
- translation, 16, 119–121, 134, 157, 172, 200, 229, 242, 274, 275, 284
- triangular mesh, 2, 55, 57–63, 65, 74, 81, 88, 90, 147, 150, 156, 165, 181, 194–197, 212, 283
- triangulation, 58, 60, 62, 65, 156, 194, 195, 255
  - Delaunay, 59, 65
- twins, 261, 272
- two-grid algorithm, 157–160
  
- unitary matrix, 122, 163, 192, 285
- utopia, 226
  
- V-cycle, 159, 160
- vector extrapolation, 160–163, 165, 166
- velocity, 27, 30, 74, 252
- virtual connection, 83
- virtual makeup, 247–249
- viscosity solution, 91
- visual agnosia, 219
- Voronoi edge, 46, 47, 53, 54, 289
- Voronoi region, 46, 47, 289
- Voronoi vertex, 46, 54
  
- wavefront, 75–77, 79, 83, 89, 90, 197, 203, 204, 281, 282