
References

1. B. Achermann and H. Bunke, *Classifying range images of human faces with Hausdorff distance*, Int'l Conf. Pattern Recognition (ICPR), 2000, pp. 809–813.
2. B. Achermann, X. Jiang, and H. Bunke, *Face recognition using range images*, Proc. Int. Conf. Virtual Systems and Multimedia, 1997, pp. 129–136.
3. M. Alexa, *Recent advances in mesh morphing*, Computer Graphics Forum **21** (2002), no. 2, 173–196.
4. M. Alexa, D. Cohen-Or, and D. Levin, *As-rigid-as-possible polygon morphing*, Proc. SIGGRAPH (2000), 157–164.
5. H. Alt, K. Mehlhorn, H. Wagener, and E. Welzl, *Congruence, similarity, and symmetries of geometric objects*, Discrete Comput. Geom. **3** (1988), 237–256.
6. S. Amari, *Methods of information geometry*, AMS, 2000.
7. N. Amenta, M. Bern, and M. Kamvysselis, *Surface reconstruction by Voronoi filtering*, Discrete and Computational Geometry **22** (1999), no. 4, 481–504.
8. D. Anguelov, *Learning models of shape from 3D range data*, Ph.D. thesis, Stanford University, 2005.
9. W. E. Arnoldi, *The principle of minimized iterations in the solution of the matrix eigenvalue problem*, Quarterly Applied Mathematics **9** (1951), 17–29.
10. D. Arthur and S. Vassilvitskii, *Worst-case and smoothed analysis of the ICP algorithm, with an application to the k-means method*, Proc. Symp. Foundations of Computer Science (2006), 153–164.
11. S. Arya, D. M. Mount, N. S. Netanyahu, R. Silverman, and A. Y. Wu, *An optimal algorithm for approximate nearest neighbor searching*, J. ACM **45** (1998), 891–923.
12. J. Ashbourn, *Biometrics: advanced identity verification*, Springer, 2002.
13. M. J. Atallah, *On symmetry detection*, IEEE Trans. Computers **34** (1985), no. 7, 663–666.
14. F. Aurenhammer, *Voronoi diagrams: A survey of a fundamental geometric data structure*, ACM Computing Surveys **23** (1991), no. 3, 345–405.
15. F. Aurenhammer and R. Klein, *Voronoi diagrams*, Karl-Franzens-Universität Graz, 1996.
16. J. Baglama, D. Calvetti, and L. Reichel, *IRBL: An implicitly restarted block Lanczos method for large-scale hermitian eigenproblems*, SIAM J. Scientific Computing (SISC) **24** (2003), no. 5, 1650–1677.

17. R. Bajcsy and F. Solina, *Three dimensional object representation revisited*, Proc. Int'l Conf. Computer Vision (ICCV), 1987, pp. 231–240.
18. N. S. Bakhvalov, *On the convergence of a relaxation method under natural constraints on an elliptic operator*, USSR Computational Mathematics and Mathematical Physics **6** (1966), 861–883.
19. R. Basri, L. Costa, D. Geiger, and D. Jacobs, *Determining the similarity of deformable shapes*, Vision Research **38** (1998), 2365–2385.
20. P. N. Belhumeur, J. P. Hespanha, and D. J. Kriegman, *Eigenfaces vs Fisherfaces: recognition using class specific linear projection*, IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI) **19** (1997), 711–720.
21. M. Belkin and P. Niyogi, *Laplacian eigenmaps for dimensionality reduction and data representation*, Neural Computation **13** (2003), 1373–1396.
22. ———, *Towards a theoretical foundation for Laplacian-based manifold methods*, Proc. Conf. Learning Theory (COLT), Lecture Notes in Art. Intelligence, no. 3559, Springer, 2005, pp. 486–500.
23. R. E. Bellman, *Dynamic programming*, Dover, 2003.
24. C. Benoit, *Note sur une méthode de résolution des équations normales provenant de l'application de la méthode des moindres carrés à un système d'équations linéaires en nombre inférieur à celui des inconnues (procédé du Commandant Cholesky)*, Bulletin géodésique **2** (1924), 67–77.
25. J. L. Bentley, *Multidimensional binary search trees used for associative searching*, Communications of the ACM **18** (1975), no. 9, 509–517.
26. M. Berger, *A panoramic view of riemannian geometry*, Springer, 2003.
27. M. Berger, P. Gauduchon, and E. Mazet, *Le spectre d'une variété riemannienne*, 1971.
28. A. Bertillon, *Instructions signalétiques pour l'identification anthropométrique*, Melun, 1893.
29. D. P. Bertsekas, *Constrained optimization and Lagrange multiplier methods*, Academic Press, 1982.
30. ———, *Nonlinear programming*, 2nd ed., Athena Scientific, 1999.
31. P. J. Besl and N. D. McKay, *A method for registration of 3D shapes*, IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI) **14** (1992), 239–256.
32. C. Beumier and M. P. Acheroy, *Automatic face authentication from 3D surface*, Proc. British Machine Vision Conf., 1988, pp. 449–458.
33. I. Biderman, *Human image understanding: recent research and a theory*, Computer Graphics, Vision and Image Processing **32** (1985), 29–73.
34. T. O. Binford, *Visual perception by computer*, Proc. IEEE Conf. Systems and Control, 1987, pp. 231–240.
35. V. Blanz, C. Basso, T. Poggio, and T. Vetter, *Reanimating faces in images and video*, Computer Graphics Forum **22** (2003), no. 3, 641–650.
36. V. Blanz and T. Vetter, *A morphable model for the synthesis of 3D faces*, Proc. Conf. Computer Graphics and Interactive Techniques (1999), 187–194.
37. V. Blanz and T. Vetter, *Face recognition based on fitting a 3D morphable model*, IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI) **25** (2003), 1063–1074.
38. W. W. Bledsoe, *Man-machine face recognition*, Technical Report 22, Panoramic Research Inc., 1966.
39. H. Blum, *A transformation for extracting new descriptors of shape*, Models for the Perception of Speech and Visual Form (1967), 362–380.

40. ———, *Biological shape and visual science (Part I)*, J. Theoretical Biology **38** (1973), no. 2, 205–87.
41. H. Blum and R. N. Nagel, *Shape description using weighted symmetric axis features*, Pattern Recognition **10** (1978), no. 3, 167–180.
42. O. Boiman and M. Irani, *Similarity by composition*, Int'l Conf. Neural Information Processing Systems (NIPS), 2006.
43. P. O. Bonnet, *Mémoire sur la théorie générale des surfaces*, J. École Polytechnique **19** (1848), 1–133.
44. I. Borg and P. Groenen, *Modern multidimensional scaling - theory and applications*, Springer, 1997.
45. K. W. Bowyer, K. Chang, and P. Flynn, *A survey of approaches and challenges in 3D and multi-modal 3D+2D face recognition*, Computer Vision and Image Understanding **101** (2006), 1–15.
46. S. Boyd and L. Vandenberghe, *Convex optimization*, Cambridge University Press, 2003.
47. Y. Boykov and V. Kolmogorov, *Computing geodesics and minimal surfaces via graph cuts*, Proc. Int'l Conf. Computer Vision (ICCV), 2003, pp. 26–33.
48. M. Brand, *Nonrigid embeddings for dimensionality reduction*, Proc. European Conf. Machine Learning (ECML), vol. 3720, 2005.
49. A. Brandt, *Multi-level adaptive technique (MLAT) for fast numerical solution to boundary value problems*, Proc. Int'l Conf. Numerical Methods in Fluid Mechanics, Springer, 1973, pp. 82–89.
50. ———, *Multi-level adaptive solutions to boundary-value problem*, Mathematics of Computation **37** (1977), 333–390.
51. C. Brezinski, *Application de l' ϵ -algorithme à la résolution des systèmes non linéaires.*, Compte Rendus, Academie des Science **271 A** (1970), 1174–1177.
52. ———, *Accélération de la convergence en analyse numérique*, Lecture notes in mathematics, Springer, 1977.
53. ———, *Extrapolation algorithms and Padé approximations: a historical survey*, Applied Numerical Mathematics **20** (1996), 299–318.
54. W. L. Briggs, *A multigrid tutorial*, SIAM, 1987.
55. A. M. Bronstein and M. M. Bronstein, *Partial matching of rigid shapes*, Tech. Report CIS-2008-02, Dept. of Computer Science, Technion, Israel, 2008.
56. A. M. Bronstein, M. M. Bronstein, A. M. Bruckstein, and R. Kimmel, *Matching two-dimensional articulated shapes using generalized multidimensional scaling*, Proc. Articulated Motions and Deformable Objects (AMDO), 2006, pp. 48–57.
57. ———, *Paretian similarity of non-rigid objects*, Proc. Int'l Conf. Scale Space and Variational Methods in Computer Vision (SSVM) (F. Sgallari, A. Murli, and N. Paragios, eds.), Lecture Notes in Computer Science, no. 4485, Springer, 2007, pp. 264–275.
58. ———, *Partial similarity of objects and text sequences*, Proc. Information Theory and Applications Workshop (ITA), 2007.
59. ———, *Analysis of two-dimensional non-rigid shapes*, Int'l J. Computer Vision (IJCV) (2008).
60. A. M. Bronstein, M. M. Bronstein, Y. S. Devir, R. Kimmel, and O. Weber, *Parallel algorithms for approximation of distance maps on parametric surfaces*, ACM Trans. Graphics, submitted.
61. ———, *Parallel algorithms for approximation of distance maps on parametric surfaces*, Tech. Report CIS-2007-03, Dept. of Computer Science, Technion, Israel, 2007.

62. A. M. Bronstein, M. M. Bronstein, E. Gordon, and R. Kimmel, *High-resolution structured light range scanner with automatic calibration*, Tech. Report CIS-2003-06, Dept. of Computer Science, Technion, Israel, 2003.
63. A. M. Bronstein, M. M. Bronstein, and R. Kimmel, *Expression-invariant 3D face recognition*, Proc. Audio and Video-based Biometric Person Authentication (AVBPA) (J. Kittler and M. S. Nixon, eds.), Lecture Notes in Computer Science, no. 2688, Springer, 2003, pp. 62–69.
64. ———, *Expression-invariant face recognition via spherical embedding*, Proc. Int'l Conf. Image Processing (ICIP), vol. 3, 2005, pp. 756–759.
65. ———, *On isometric embedding of facial surfaces into S^3* , Proc. Int'l Conf. Scale Space and PDE Methods in Computer Vision, Lecture Notes in Computer Science, no. 3459, Springer, 2005, pp. 622–631.
66. ———, *Three-dimensional face recognition*, Int'l J. Computer Vision (IJCV) **64** (2005), no. 1, 5–30.
67. ———, *Efficient computation of isometry-invariant distances between surfaces*, SIAM J. Scientific Computing **28** (2006), no. 5, 1812–1836.
68. ———, *Expression invariant face recognition: faces as isometric surfaces*, Face Processing: Advanced Modeling and Methods (R. Chellappa and W. Zhao, eds.), Academic Press, 2006.
69. ———, *Expression-invariant representations of faces*, IEEE Trans. Image Processing (2006).
70. ———, *Generalized multidimensional scaling: a framework for isometry-invariant partial surface matching*, Proc. National Academy of Science (PNAS) **103** (2006), no. 5, 1168–1172.
71. ———, *Robust expression-invariant face recognition from partially missing data*, Proc. European Conf. Computer Vision (ECCV), 2006, pp. 396–408.
72. ———, *Calculus of non-rigid surfaces for geometry and texture manipulation*, IEEE Trans. on Visualization and Computer Graphics **13** (2007), no. 5, 903–913.
73. ———, *Expression-invariant representation of faces*, IEEE Trans. Image Processing **16** (2007), no. 1, 188–197.
74. A. M. Bronstein, M. M. Bronstein, and R. Kimmel, *Rock, Paper, and Scissors: extrinsic vs. intrinsic similarity of non-rigid shapes*, Proc. Int'l Conf. Computer Vision (ICCV), 2007.
75. A. M. Bronstein, M. M. Bronstein, and R. Kimmel, *Story of Cinderella: biometrics and isometry-invariant distances*, 3D Imaging for Safety and Security (A. Koschan, M. Pollefeys, and M. Abidi, eds.), Springer, 2007.
76. A. M. Bronstein, M. M. Bronstein, R. Kimmel, and E. Gordon, *Fusion of 2D and 3D data in three-dimensional face recognition*, Proc. Int'l Conf. Image Processing (ICIP), 2004.
77. A. M. Bronstein, M. M. Bronstein, R. Kimmel, and A. Spira, *Face recognition from facial surface metric*, Proc. European Conf. Computer Vision (ECCV), Lecture Notes in Computer Science, no. 3023, Springer, 2004, pp. 225–237.
78. M. M. Bronstein and A. M. Bronstein, *Biometrics was no match for hair-rising tricks*, Nature **420** (2002), 739.
79. M. M. Bronstein, A. M. Bronstein, R. Kimmel, and I. Yavneh, *A multigrid approach for multidimensional scaling*, Proc. Copper Mountain Conf. Multigrid Methods, 2005.
80. ———, *Multigrid multidimensional scaling*, Numerical Linear Algebra with Applications (NLAA) **13** (2006), 149–171.

81. R. Brooks, *Symbolic reasoning among 3-D models and 2-D images*, Artificial Intelligence **17** (1981), 285–348.
82. ———, *On manifolds of negative curvature with isospectral potentials*, Topology **26** (1987), 63–66.
83. R. Brooks and R. Tse, *Isospectral surfaces of small genus*, Nagoya Mathematical J. **107** (1987), 13–24.
84. C. G. Broyden, *A class of methods for solving nonlinear simultaneous equations*, Mathematics of Computation **19** (1965), 577–593.
85. C. G. Broyden, J. E. Dennis, and J. J. Moré, *On the local and superlinear convergence of quasi-newton methods*, J. Institute of Mathematical Applications **12** (1973), 223–246.
86. V. Bruce, *Recognizing faces*, Lawrence Erlbaum Associates, 1988.
87. I. S. Bruner and R. Tagiuri, *The perception of people*, Handbook of social psychology (G. Lindzey, ed.), vol. 2, Addison-Wesley, 1954, pp. 634–654.
88. D. Burago, Y. Burago, and S. Ivanov, *A course in metric geometry*, Graduate studies in mathematics, vol. 33, AMS, 2001.
89. ———, *A course in metric geometry*, Graduate studies in mathematics, vol. 33, AMS, 2001.
90. P. Buser, *Isospectral Riemann surfaces*, Annales de l’Institut Fourier **36** (1986), 167–192.
91. S. Cabay and L. Jackson, *Polynomial extrapolation method for finding limits and antilimits of vector sequences*, SIAM J. Numerical Analysis (SINUM) **13** (1976), no. 5, 734–752.
92. D. Calvetti, L. Reichel, and D. C. Sorensen, *An implicitly restarted Lanczos method for large symmetric eigenvalue problems*, Electronic Trans. Numerical Analysis (ETNA) **2** (1994), 1–21.
93. J. Y. Cartoux, J. T. Lapreste, and M. Richetin, *Face authentication or recognition by profile extraction from range images*, Proc. Workshop on Interpretation of 3D Scenes, 1989, pp. 194–199.
94. A. L. Cauchy, *Sur les polygones et polyedres, second memoire*, J. Ecole Polytechnique **19** (1813), 87–90.
95. M. Chalmers, *A linear iteration time layout algorithm for visualizing high dimensional data*, Proc. IEEE Visualization, 1996, pp. 127–132.
96. T. F Chan and L. A. Vese, *Active contours without edges*, Trans. Image Processing **10** (2001), no. 2, 266–277.
97. K. Chang, K. W. Bowyer, and P. Flynn, *Face recognition using 2D and 3D facial data*, Workshop on Multimodal User Authentication, 2003, pp. 25–32.
98. G. Charpiat, O. Faugeras, and R. Keriven, *Approximations of shape metrics and application to shape warping and empirical shape statistics*, Foundations of Computational Mathematics **5** (2005), no. 1, 1–58.
99. Y. Chen and G. Medioni, *Object modeling by registration of multiple range images*, Proc. Conf. Robotics and Automation, 1991.
100. Y. K. Chen, A. Vetro, H. Sun, and S. Y. Kung, *Frame-rate upconversion using transmitted true motion vectors*, Proc. Workshop on Multimedia Signal Processing, 1998, pp. 622–627.
101. S. W. Cheng, T. K. Dey, E. A. Ramos, and T. Ray, *Sampling and meshing a surface with guaranteed topology and geometry*, Proc. Symp. Computational Geometry (2004), 280–289.
102. E. F. F. Chladni, *Entdeckungen über die theorie des klanges*, Leipzig, 1787.

103. B. T. Choi, S. H. Lee, and S. J. Ko, *New frame rate up-conversion using bi-directional motion estimation*, IEEE Trans. Consumer Electronics **46** (2000), no. 3, 603–609.
104. C. Chua, F. Han, and Y. K. Ho, *3D human face recognition using point signature*, IEEE Int'l Conf. Automatic Face and Gesture Recognition, 2000, pp. 233–238.
105. F. R. K. Chung, *Spectral graph theory*, AMS, 1997.
106. L. Cohen and R. Kimmel, *Global minimum for active contour models: A minimal path approach*, Int'l J. Computer Vision (IJCV) **24** (1997), no. 1, 57–78.
107. D. Cohen-Steiner, P. Alliez, and M. Desbrun, *Variational shape approximation*, ACM Trans. Graphics **23** (2004), no. 3, 905–914.
108. S. E. Cohn-Vossen, *Nonrigid closed surfaces*, Annals of Mathematics **102** (1929), 10–29.
109. R. R. Coifman, S. Lafon, A. B. Lee, M. Maggioni, B. Nadler, F. Warner, and S. W. Zucker, *Geometric diffusions as a tool for harmonic analysis and structure definition of data: Diffusion maps*, Proc. National Academy of Sciences (PNAS) **102** (2005), no. 21, 7426–7431.
110. A. R. Conn, N. I. M. Gould, and P. Toint, *A globally convergent augmented lagrangian algorithm for optimization with general constraints and simple bounds*, SIAM J. Numerical Analysis (SINUM) **28** (1991), no. 2, 545–572.
111. A. R. Conn, N. I. M. Gould, and Ph. L. Toint, *LANCELOT: a Fortran package for large-scale nonlinear optimization (release A)*, Computational Mathematics, vol. 17, Springer, 1992.
112. J. H. Connell and M. Brady, *Generating and generalizing models of visual objects*, Artificial intelligence **31** (1987), 159–183.
113. R. Connelly, *A flexible sphere*, Math. Intell **1** (1978), no. 3, 130–131.
114. ———, *The rigidity of polyhedral surfaces*, Mathematics Magazine **52** (1979), no. 5, 275–283.
115. ———, *Rigidity*, Handbook of Convex Geometry (1993), 223–271.
116. W. J. Cook, W. H. Cunningham, W. R. Pulleyblank, and A. Schrijver, *Combinatorial optimization*, Wiley, 1997.
117. I. Cox, J. Ghosn, and P. Yianilos, *Feature-based face recognition using mixture distance*, Proc. Computer Vision and Pattern Recognition (CVPR), 1996, pp. 209–216.
118. T. F. Cox and M. A. A. Cox, *Multidimensional scaling on a sphere*, Communications in Statistics: Theory and Methods **20** (1991), 2943–2953.
119. ———, *Multidimensional scaling*, Chapman and Hall, London, 1994.
120. M. G. Crandal and P.-L. Lions, *Viscosity solutions of Hamilton–Jacobi equations*, Trans. AMS **277** (1983), 1–43.
121. P. Danielsson, *Euclidean distance mapping*, Computer Graphics and Image Processing **14** (1980), 227–248.
122. C. Darwin, *The expression of the emotions in man and animals*, Murray, 1872.
123. J. Dattorro, *Convex optimization and euclidean distance geometry*, Meboo Publishing, 2006.
124. E. F. D’Azevedo and R. B. Simpson, *On optimal interpolation triangle incidences*, SIAM J. Scientific Computing (SISC) **10** (2006), no. 6, 1063–1075.
125. J. de Leeuw, *Applications of convex analysis to multidimensional scaling*, Recent developments in statistics (J. R. Barra, F. Brodeau, G. Romier, and B. van Cutsem, eds.), North-Holland, 1977, pp. 133–145.

126. ———, *Convergence of the majorization method for multidimensional scaling*, *J. Classification* **5** (1988), 163–180.
127. ———, *Accelerated least squares multidimensional scaling*, Preprint 493, Department of Statistics, UCLA, 2006.
128. J. de Leeuw and W. Heiser, *Multidimensional scaling with restrictions on the configuration*, *Multivariate Analysis* (P. R. Krishnaiah, ed.), vol. 5, North-Holland Publishing Company, Amsterdam, 1980, pp. 501–522.
129. J. de Leeuw and I. Stoop, *Upper bounds on Kruskal's stress*, *Psychometrika* **49** (1984), 391–402.
130. S. de Rooij and P. Vitanyi, *Approximating rate-distortion graphs of individual data: Experiments in lossy compression and denoising*, CoRR **abs/cs/0609121** (2006).
131. A. de Saint-Exupéry, *Le petit prince*, 1943.
132. V. de Silva and J. B. Tenenbaum, *Sparse multidimensional scaling using landmark points*, Technical report, Stanford University, 2004.
133. B. Delaunay, *Sur la sphère vide*, *Izvestia Akademii Nauk SSSR, Otdelenie Matematicheskikh i Estestvennykh Nauk* **7** (1934), 793–800.
134. M. Desbrun, M. Meyer, P. Schröder, and A. H. Barr, *Implicit fairing of irregular meshes using diffusion and curvature flow*, *Proc. SIGGRAPH*, 1999, pp. 317–324.
135. P. Deuffhard and M. Weiser, *Local inexact Newton multilevel FEM for nonlinear elliptic problems*, *Computational science for the 21st century* (M.-O. Bristeu et al., ed.), Wiley, 1997, pp. 129–138.
136. P. Diamond, *Metric spaces of fuzzy sets: Theory and applications*, World Scientific, 1994.
137. E. W. Dijkstra, *A note on two problems in connexion with graphs*, *Numerische Mathematik* **1** (1959), 269–271.
138. G. L. Dirichlet, *Über die reduktion der positiven quadratischen Formen mit drei unbestimmten ganzen Zahlen*, *J. für die Reine und Angewandte Mathematik* **40** (1850), 209–227.
139. M. P. do Carmo, *Differential geometry of curves and surfaces*, Prentice-Hall, 1976.
140. Q. Du, V. Faber, and M. Gunzburger, *Centroidal Voronoi tessellations: Applications and algorithms*, *SIAM Review* **41** (2006), no. 4, 637–676.
141. R. O. Duda, P. E. Hart, and D. G. Stork, *Pattern classification*, Wiley, 2000.
142. P. Dupuis and J. Oliensis, *Shape from shading: Provably convergent algorithms and uniqueness results*, *Proc. European Conf. Computer Vision (ECCV)*, 1994, pp. 259–268.
143. C. Eckart and G. Young, *Approximation of one matrix by another of lower rank*, *Psychometrika* **1** (1936), 211–218.
144. R. P. Eddy, *Extrapolation to the limit of a vector sequence*, *Information Linkage between Applied Mathematics and Industry* (P. C. Wang, ed.), Academic Press, 1979, pp. 387–396.
145. F. Y. Edgeworth, *Mathematical psychics: An essay on the application of mathematics to the moral sciences*, 1881.
146. P. Ekman, *Darwin and facial expression; a century of research in review*, Academic Press, 1973.
147. A. Elad and R. Kimmel, *Bending invariant representations for surfaces*, *Proc. Computer Vision and Pattern Recognition (CVPR)*, 2001, pp. 168–174.

148. ———, *Spherical flattening of the cortex surface*, Geometric methods in biomedical image processing (R. Malladi, ed.), vol. 2191, Springer, 2002, pp. 77–89.
149. ———, *On bending invariant signatures for surfaces*, IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI) **25** (2003), no. 10, 1285–1295.
150. M. Elad, P. Milanfar, and G. H. Golub, *Shape from moments—an estimation theory perspective*, IEEE Trans. Signal Processing **52** (2004), no. 7, 1814–1829.
151. Y. Eldar, M. Lindenbaum, M. Porat, and Y. Y. Zeevi, *The farthest point strategy for progressive image sampling*, IEEE Trans. Image Processing **6** (1997), no. 9, 1305–1315.
152. K. Etemad and R. Chellappa, *Discriminant analysis for recognition of human face images*, J. Optical Society of America (JOSA) A **14** (1997), 1724–1733.
153. L. Euler, *Elementa doctrinae solidorum*, Novi commentarii academiae scientiarum Petropolitanae **4** (1758), no. 1752/3, 109–140.
154. E. Ezra, M. Sharir, and A. Efrat, *On the ICP algorithm*, Proc. Symp. Computational Geometry (2006), 95–104.
155. C. Faloutsos and K.-I. Lin, *FastMap: a fast algorithm for indexing, data-mining, and visualization*, Proc. Special Interest Group on Management of Data (SIGMOD), 1995, pp. 163–174.
156. H. Federer, *Curvature measures*, Trans. AMS **93** (1959), no. 3, 418–491.
157. R. P. Fedorenko, *On the speed of convergence of an iterative process*, USSR Computational Mathematics and Mathematical Physics **4** (1964), 559–564.
158. R. Fletcher, *A new approach to variable metric methods*, Computer J. **13** (1970), 317–322.
159. M. S. Floater, *Parametrization and smooth approximation of surface triangulations*, Computer Aided Geometric Design **14** (1997), no. 3, 231–250.
160. ———, *Parametric tilings and scattered data approximation*, Int’l J. Shape Modeling **4** (1998), no. 1, 165–182.
161. M. S. Floater and C. Gotsman, *How to morph tilings injectively*, J. Computational and Applied Mathematics **101** (1999), no. 1-2, 117–129.
162. M. S. Floater and K. Hormann, *Recent advances in surface parameterization*, Multiresolution in Geometric Modelling (2003), 259–284.
163. ———, *Surface parameterization: a tutorial and survey*, Advances in Multiresolution for Geometric Modelling **1** (2005).
164. D. A. Forsyth and J. Ponce, *Computer vision: A modern approach*, Prentice Hall, 2003.
165. R. Fourer, *Nonlinear programming frequently asked questions*, online, <http://www-unix.mcs.anl.gov/otc/Guide/faq/nonlinear-programming-faq.html>, 2000.
166. J. Fu, *Convergence of curvatures in secant approximations*, Differential Geometry **37** (1993), 177–190.
167. F. Galton, *Personal identification and description*, Nature (1888), 173–188.
168. M. Garland and P. S. Heckbert, *Surface simplification using quadric error metrics*, 1997, pp. 209–216.
169. C. F. Gauss, *Disquisitiones generales circa superficies curvas*, Dietrich, Göttingen, 1828.
170. N. Gelfand, N. J. Mitra, L. Guibas, and H. Pottmann, *Robust global registration*, Proc. Symp. Geometry Processing (SGP) (2005).
171. *The Bible: Authorized King James version with Apocrypha*, Oxford University Press, 1998.

172. A. Gersho and R. M. Gray, *Vector quantization and signal compression*, Kluwer, 1992.
173. A. S. Gheorghiadis, P. N. Belhumeur, and D. J. Kriegman, *From few to many: illumination cone models for face recognition under variable lighting and pose*, IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI) **23** (2001), no. 6, 643–660.
174. H. Gluck, *Almost all simply connected closed surfaces are rigid*, Proc. Conf. Geometric Topology (1974).
175. D. Goldfarb, *A family of variable metric methods derived by variational means*, Mathematics of Computation **24** (1970), 23–26.
176. E. Goldstein and C. Gotsman, *Polygon morphing using a multiresolution representation*, Proc. Graphics Interface, 1995.
177. G. H. Golub and C. F. van Loan, *Matrix computations*, John Hopkins University Press, 1996.
178. J. Gomes, *Warping & morphing of graphical objects*, Morgan Kaufmann, 1998.
179. T. F. Gonzalez, *Clustering to minimize the maximum intercluster distance*, Theoretical Computer Science **38** (1985), no. 2, 293–306.
180. C. Gordon, D. L. Webb, and S. Wolpert, *One cannot hear the shape of the drum*, Bulletin AMS **27** (1992), no. 1, 134–138.
181. G. Gordon, *Face recognition based on depth and curvature features*, Proc. Computer Vision and Pattern Recognition (CVPR), 1992, pp. 108–110.
182. C. Gotsman and V. Surazhsky, *Guaranteed intersection-free polygon morphing*, Computers and Graphics **25** (2001), no. 1, 67–75.
183. J. C. Gower, *Some distance properties of latent root and vector methods used in multivariate analysis*, Biometrika **53** (1966), 325–338.
184. ———, *Euclidean distance geometry*, Mathematical Scientist **7** (1982), 1–14.
185. R. M. Gray, *Vector quantization*, IEEE ASSP Magazine **1** (1984), 4–29.
186. G. Green, *The elegant universe – superstrings and hidden dimensions*, W. Norton, New York (1999).
187. C. Grimes and D. L. Donoho, *Hessian eigenmaps: Locally linear embedding techniques for high-dimensional data*, Proc. National Academy of Sciences (PNAS) **100** (2003), no. 10, 5591–5596.
188. H. Groemer, *Geometric applications of Fourier series and spherical harmonics*, Cambridge University Press, New York, 1996.
189. P. Groenen and M. van de Velden, *Multidimensional scaling*, Econometric Institute Report 15, Erasmus University, 2004.
190. M. Gromov, *Structures métriques pour les variétés riemanniennes*, Textes Mathématiques, no. 1, 1981.
191. P. M. Gruber, *Optimal arrangement of finite point sets in Riemannian 2-manifolds*, Proc. Steklov Institute of Mathematics, 1999.
192. X. Gu, S. Gortler, and H. Hoppe, *Geometry images*, Proc. SIGGRAPH (2002), 355–361.
193. A. Gueziec, F. Bossen, G. Taubin, and C. T. Silva, *Efficient compression of non-manifold polygonal meshes*, Computational Geometry **14** (1999), no. 1-3, 137–166.
194. S. Gupta, M. K. Markey, J. K. Aggarwal, and A. C. Bovik, *3D face recognition based on geodesic distances*, Proc. SPIE Electronic Imaging, 2007.
195. I. Guskov, K. Vidimče, W. Sweldens, and P. Schröder, *Normal meshes*, Proc. Conf. Computer Graphics and Interactive Techniques (2000), 95–102.

196. L. Guttman, *A general nonmetric technique for finding the smallest coordinate space for a configuration of points*, *Psychometrika* (1968), 469–506.
197. W. Hackbusch, *A multi-grid method applied to a boundary problem with variable coefficients in a rectangle*, Tech. Report 77-17, Institut für Angewandte Mathematik, Universität Köln, 1977.
198. J. Ham, D. D. Lee, S. Mika, and B. Schölkopf, *A kernel view of the dimensionality reduction of manifolds*, Technical Report TR-110, Max Planck Institute for Biological Cybernetics, 2003.
199. F. R. Hampel, E. M. Ronchetti, P. J. Rousseeuw, and W. A. Stahel, *Robust statistics: The approach based on influence functions*, New York (1986).
200. F. Hausdorff, *Grundzüge der Mengenlehre*, Verlag Veit & Co, 1914.
201. M. Hein, J.-Y. Audibert, and U. von Luxburg, *From graphs to manifolds - weak and strong pointwise consistency of graph Laplacians*, Proc. Conf. Learning Theory (COLT), Lecture Notes in Art. Intelligence, no. 3559, Springer, 2005, pp. 470–485.
202. Y. Hel-Or and M. Werman, *Constraint-fusion for interpretation of articulated objects*, Proc. Computer Vision and Pattern Recognition (CVPR), 1994, pp. 39–45.
203. C. Heshner, A. Srivastava, and G. Erlebacher, *A novel technique for face recognition using range images*, Int'l Symp. Signal Processing and Its Applications, vol. 2, 2003, pp. 201–204.
204. M. R. Hestenes, *Multiplier and gradient methods*, *J. Optimization Theory and Applications* **4** (1969), 303–320.
205. K. Hildebrandt, K. Polthier, and M. Wardetzky, *On the convergence of metric and geometric properties of polyhedral surfaces*, *Geometricae Dedicata* **123** (2006), 89–112.
206. D. Hoffman and W. Richards, *Parts of recognition*, Visual cognition (S. Pinker, ed.), MIT Press, 1984.
207. D. Hoffman and M. Singh, *Saliency of visual parts*, *Cognition* **63** (1997), 29–78.
208. B. K. P. Horn, *Closed-form solution of absolute orientation using unit quaternions*, *J. Optical Society of America (JOSA) A* **4** (1987), 629–642.
209. B. K. P. Horn and B. G. Schunck, *Determining optical flow*, *Artificial Intelligence* **17** (1981), no. 1-3, 185–203.
210. H. Hotelling, *Analysis of a complex of statistical variables into principal components*, (1933).
211. P. S. Huang, C. P. Zhang, and F. P. Chiang, *High speed 3-D shape measurement based on digital fringe projection*, *Optical Engineering* **42** (2003), no. 1, 163–168.
212. P. J. Huber, *Robust statistics*, Wiley, 2004.
213. D. Jacobs, D. Weinshall, and Y. Gdalyahu, *Class representation and image retrieval with non-metric distances*, *IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI)* **22** (2000), no. 6, 583–600.
214. V. Jain, H. Zhang, and O. van Kaick, *Non-rigid spectral correspondence of triangle meshes*, Int'l J. Shape Modeling (2006).
215. M. Kac, *Can one hear the shape of a drum?*, *American Mathematical Monthly* **73** (1966), 1–23.
216. T. Kanade, *Computer recognition of human faces*, Birkhauser, 1973.
217. C. Kao, S. Osher, and Y. Tsai, *Fast sweeping methods for static Hamilton-Jacobi equations*, Tech. report, Department of Mathematics, UCLA, 2002.

218. Z. Karni and C. Gotsman, *Spectral compression of mesh geometry*, Proc. Conf. Computer Graphics and Interactive Techniques, 2000, pp. 279–286.
219. M. Kazhdan, T. Funkhouser, and S. Rusinkiewicz, *Rotation invariant spherical harmonic representation of 3D shape descriptors*, Proc. Symp. Geometry Processing (SGP), 2004, pp. 156–164.
220. A. Kearsley, R. Tapia, and M. Trosset, *The solution of the metric STRESS and SSTRESS problems in multidimensional scaling using Newton's method*, Computational Statistics **13** (1998), no. 3, 369–396.
221. C. T. Kelley, *Iterative methods for optimization*, Frontiers in Applied Mathematics, SIAM, 1999.
222. M. D. Kelly, *Visual identification of people by computer*, Technical Report AI-130, Stanford University, 1970.
223. J. Kepler, *Strena seu de nive sexangula*, 1611.
224. M. Kilian, N. J. Mitra, and H. Pottmann, *Geometric modeling in shape space*, ACM Trans. Graphics **26** (2007), no. 3.
225. R. Kimmel, *Numerical geometry of images*, Springer, 2004.
226. R. Kimmel and J. A. Sethian, *Computing geodesic paths on manifolds*, Proc. National Academy of Sciences (PNAS) **95** (1998), no. 15, 8431–8435.
227. R. Kimmel and J. A. Sethian, *Optimal algorithm for shape from shading and path planning*, J. Mathematical Imaging and Vision **14** (2001), no. 3, 237–244.
228. R. Kimmel, D. Shaked, N. Kiryati, and A. M. Bruckstein, *Skeletonization via distance maps and level sets*, Computer Vision and Image Understanding **62** (1995), no. 3, 382–391.
229. G. J. Klir and B. Yuan, *Fuzzy sets and fuzzy logic: theory and applications*, Prentice Hall, 1994.
230. J. J. Koenderink and A. J. van Doorn, *The shape of smooth objects and the way contours end*, Perception **11** (1981), 129–137.
231. T. Kohonen, *Self-organizing maps*, Springer, 2001.
232. J. B. Kruskal, *Multidimensional scaling to a nonmetric hypothesis*, Psychometrika **29** (1964), 1–27.
233. ———, *Nonmetric multidimensional method*, Psychometrika **29** (1964), 115–129.
234. H. W. Kuhn and A. W. Tucker, *Nonlinear programming*, Proc. Berkeley Symp. Mathematical Statistics and Probability (J. Neyman, ed.), 481–491, University of California Press, 1957.
235. R. Kunze, F. E. Wolter, and T. Rausch, *Geodesic Voronoi diagrams on parametric surfaces*, Proc. Computer Graphics International **97** (1997), 230–237.
236. ———, *Geodesic Voronoi diagrams on parametric surfaces*, Tech. report, Welfen Laboratory, Hannover University, 1997.
237. K. Kupeev and H. Wolfson, *On shape similarity*, Proc. Int'l Conf. Pattern Recognition (ICPR), 1994, pp. 227–237.
238. R. L. Lagendijk and M. I. Sezan, *Motion compensated frame rate conversion of motion pictures*, Proc. Int'l Conf. Acoustics, Speech, and Signal Processing (ICASSP), vol. 3, 1992.
239. J. H. Lambert, *Photometria sive de mensura et gradibus luminis, colorum et umbra*, Augustæ Vindelicorum (1760).
240. C. Lanczos, *An iteration method for the solution of the eigenvalue problem of linear differential and integral operators*, J. Research of the National Bureau of Standards **45** (1950), 255–282.

241. L. J. Latecki, R. Lakaemper, and D. Wolter, *Optimal partial shape similarity*, Image and Vision Computing **23** (2005), 227–236.
242. J. C. Lee and E. Milios, *Matching range images of human faces*, Proc. Int'l Conf. Computer Vision (ICCV), 1990, pp. 722–726.
243. S. H. Lee, Y. C. Shin, S. Yang, H. H. Moon, and R. H. Park, *Adaptive motion-compensated interpolation for frame rate up-conversion*, IEEE Trans. Consumer Electronics **48** (2002), no. 3, 444–450.
244. Y. Lee and J. Shim, *Curvature-based human face recognition using depth-weighted Hausdorff distance*, Proc. Int'l Conf. Image Processing (ICIP), 2004, pp. 1429–1432.
245. Y. Lee, H. Song, U. Yang, H. Shin, and K. Sohn, *Local feature based 3D face recognition*, Proc. Audio and Video-based Biometric Person Authentication (AVBPA), Lecture Notes in Computer Science, no. 3546, Springer, 2005, pp. 909–918.
246. R. B. Lehoucq, D. C. Sorensen, and C. Yang, *ARPACK users' guide: Solution of large-scale eigenvalue problems with implicitly restarted Arnoldi methods*, SIAM, 1998.
247. G. Leibon, *Random Delaunay triangulations, the Thruston-Andreev theorem, and metric uniformization*, Ph.D. thesis, UCSD, 1999.
248. G. Leibon and D. Letscher, *Delaunay triangulations and Voronoi diagrams for Riemannian manifolds*, Proc. Symp. Computational Geometry, 2000, pp. 341–349.
249. S. Leopoldseder, H. Pottmann, and H. Zhao, *The d2-tree: A hierarchical representation of the squared distance function*, Tech. report, Institute of Geometry, Vienna University of Technology, 2003.
250. B. Lévy, *Laplace-Beltrami eigenfunctions towards an algorithm that “understands” geometry*, Int'l Conf. Shape Modeling and Applications, 2006.
251. H. Li and R. Hartley, *The 3D-3D registration problem revisited*, Proc. Int'l Conf. Computer Vision (ICCV), 2007.
252. X. Li and H. Zhang, *Adapting geometric attributes for expression-invariant 3D face recognition*, Int'l Conf. Shape Modeling and Applications, 2007, pp. 21–32.
253. N. Linial, *Finite metric spaces: combinatorics, geometry and algorithms*, Proc. ICM, vol. 3, 2002, pp. 573–586.
254. N. Litke, M. Droske, M. Rumpf, and P. Schroder, *An image processing approach to surface matching*.
255. S. P. Lloyd, *Least squares quantization in PCM*, Bell Telephone Laboratories Paper (1957).
256. ———, *Least squares quantization in PCM*, IEEE Trans. Information Theory **28** (1982), no. 2.
257. C. Lombroso, *Antropometria di 400 delinquenti*, 1872.
258. F. Losasso, H. Hoppe, S. Schaefer, and J. Warren, *Smooth geometry images*, Proc. Symp. Geometry Processing (SGP), 2003, pp. 138–145.
259. X. Lu, D. Colbry, and A. K. Jain, *Matching 2.5D scans for face recognition*, Proc. Int'l Conf. Pattern Recognition (ICPR), 2004, pp. 362–366.
260. J. MacQueen, *Some methods for classification and analysis of multivariate observations*, Proc. Berkeley Symp. Mathematical Statistics and Probability, vol. 1, 1967, pp. 281–297.
261. D. Marr and T. Poggio, *Cooperative computation of stereo disparity*, Science **194** (1976), no. 4262, 283.

262. N. Mavridis, F. Tsalakanidou, D. Pantazis, S. Malassiotis, and M. G. Strintzis, *The HISCORE face recognition application: Affordable desktop face recognition based on a novel 3D camera*, Proc. Int'l Conf. Augmented Virtual Environments and 3D Imaging, pp. 157–160.
263. J. Max, *Quantizing for minimum distortion*, IEEE Trans. Information Theory **6** (1960), no. 1, 7–12.
264. S. F. McCormick, *Multigrid methods*, Frontiers in Applied Mathematics, vol. 3, SIAM, 1987.
265. H. McKean and I. Singer, *Curvature and the eigenvalues of the Laplacian*, J. Differential Geometry **1** (1967), 43–69.
266. L. Mealey, R. Bridgstock, and G. C. Townsend, *Symmetry and perceived facial attractiveness: a monozygotic co-twin comparison*, J. Personality and Social Psychology **76** (1999), no. 1, 151–158.
267. G. Medioni and R. Waupotitsch, *Face recognition and modeling in 3D*, Proc. Analysis and Modeling of Faces and Gestures (AMFG), 2003, pp. 232–233.
268. F. Mémoli and G. Sapiro, *Fast computation of weighted distance functions and geodesics on implicit hyper-surfaces*, J. Computational Physics **173** (2001), no. 1, 764–795.
269. ———, *A theoretical and computational framework for isometry invariant recognition of point cloud data*, Foundations of Computational Mathematics **5** (2005), 313–346.
270. M. Mešina, *Convergence acceleration for the iterative solution of the equations $x = ax + f$* , Computer Methods in Applied Mechanics and Engineering (CMAME) **10** (1977), no. 2, 165–173.
271. M. Meyer, M. Desbrun, P. Schroder, and A. H. Barr, *Discrete differential-geometry operators for triangulated 2-manifolds*, Visualization and Mathematics III (2003), 35–57.
272. ———, *Discrete differential-geometry operators for triangulated 2-manifolds*, Visualization and Mathematics III (2003), 35–57.
273. P. W. Michor and D. Mumford, *Riemannian geometries on spaces of plane curves*, Arxiv preprint math.DG/0312384 (2003).
274. K. Miettinen, *Nonlinear multiobjective optimization*, Kluwer, 1999.
275. R. S. Millman and G. D. Parker, *Geometry: A metric approach with models*, Springer, 1990.
276. J. S. B. Mitchell, D. M. Mount, and C. H. Papadimitriou, *The discrete geodesic problem*, SIAM J. Computing **16** (1987), no. 4, 647–668.
277. N. J. Mitra, N. Gelfand, H. Pottmann, and L. Guibas, *Registration of point cloud data from a geometric optimization perspective*, Proc. Symp. Geometry Processing (SGP), 2004, pp. 23–32.
278. N. J. Mitra, L. Guibas, and M. Pauly, *Partial and approximate symmetry detection for 3D geometry*, ACM Trans. Graphics **25** (2006), no. 3, 560–568.
279. A. F. Möbius, *Der baryzentrische Calcul*, 1827.
280. B. Mohar, *The laplacian spectrum of graphs*, Graph Theory, Combinatorics, and Applications (Y. Alavi, G. Chartrand, O. R. Oellermann, and A. J. Schwenk, eds.), vol. 2, Wiley, 1991, pp. 871–898.
281. S. Montiel and A. Ros, *Curves and surfaces*, AMS, 2005.
282. A. B. Moreno, A. Sánchez, J. F. Vélez, and F. J. Díaz, *Face recognition using 3D surface-extracted descriptors*, Proc. Irish Machine Vision and Image Processing Conf., 2003, pp. 233–238.

283. A. Morrison, G. Ross, and M. Chalmers, *Fast multidimensional scaling through sampling, springs, and interpolation*, Information Visualization **2** (2003), no. 1, 68–77.
284. J. M. Morvan and B. Thibert, *On the approximation of a smooth surface with a triangulated mesh*, Computational Geometry: Theory and Applications **23** (2002), no. 3, 337–352.
285. L. Mosheyev and M. Zibulevsky, *Penalty/barrier multiplier algorithm for semi-definite programming*, Optimization Methods and Software **13** (2000), no. 4, 235–261.
286. I. Mpiperis, S. Malassiotis, and M. G. Strintzis, *Expression compensation for face recognition using a polar geodesic representation*, Proc. Int'l Symp. 3D Data Processing, Visualization and Transmission, 2006.
287. I. Mpiperis, S. Malassiotis, and M. G. Strintzis, *3-D face recognition with the geodesic polar representation*, IEEE Trans. Information Forensics and Security **2** (2007), no. 3, 537–547.
288. D. Mumford and J. Shah, *Boundary detection by minimizing functionals*, Image Understanding (1990).
289. T. Nagamine, T. Uemura, and I. Masuda, *3D facial image analysis for human identification*, Proc. Int'l Conf. Pattern Recognition (ICPR), 1992, pp. 324–327.
290. J. Nash, *The imbedding problem for Riemannian manifolds*, Annals of Mathematics **63** (1956), 20–63.
291. S. Nash, *A multigrid approach to discretized optimization problems*, J. Optimization Methods and Software **14** (2000), 99–116.
292. ———, *A survey of truncated-Newton methods*, J. Computational and Applied Mathematics **124** (2000), 45–59.
293. A. Nemirovski, *Efficient methods in convex programming*, Lecture notes, 1995, online, <http://iew3.technion.ac.il/Home/Users/Nemirovski.html>.
294. ———, *Numerical methods for nonlinear continuous optimization*, Lecture notes, 1999, online, <http://iew3.technion.ac.il/Home/Users/Nemirovski.html>.
295. ———, *Lectures on modern convex optimization*, Lecture notes, 2003, online, <http://iew3.technion.ac.il/Home/Users/Nemirovski.html>.
296. Y. Nesterov and A. Nemirovski, *Interior point polynomial methods in convex programming*, SIAM, 1994.
297. I. Newton, *De analysi per æquationes numero terminorum infinitas*, 1699.
298. J. Nocedal and S. Wright, *Numerical optimization*, Springer, New York, 1999.
299. M. Novotni and R. Klein, *Computing geodesic distances on triangular meshes*, Proc. Int'l Conf. in Central Europe on Computer Graphics, Visualization and Computer Vision, 2002.
300. B. O'Neil, *Elementary differential geometry*, Academic Press (1997).
301. K. Onishi and J. Itoh, *Estimation of the necessary number of points in Riemannian Voronoi diagram*, Proc. Canadian Conf. Computational Geometry (CCCG) (2003), 19–24.
302. J. Ortega-Garcia, J. Bigun, D. Reynolds, and J. Gonzalez-Rodriguez, *Authentication gets personal with biometrics*, IEEE Signal Processing Magazine **21** (2004), no. 2, 50–62.
303. A. Osyczka, *Multicriterion optimisation in engineering with FORTRAN programs*, Wiley, 1984.

304. J. D. Owens, D. Luebke, N. Govindaraju, M. Harris, J. Kruger, A. E. Lefohn, and T. J. Purcell, *A survey of general-purpose computation on graphics hardware*, Eurographics 2005, State of the Art Reports (2005), 21–51.
305. G. Pan, S. Han, Z. Wu, and Y. Wang, *3D face recognition using mapped depth images*, IEEE Workshop on Face Recognition Grand Challenge Experiments, 2005.
306. G. Pan, Z. Wu, and Y. Pan, *Automatic 3D face verification from range data*, Proc. Int'l Conf. Acoustics, Speech, and Signal Processing (ICASSP), vol. III, 2003, pp. 193–196.
307. V. Pareto, *Manuale di economia politica*, 1906.
308. K. Pearson, *On lines and planes of closest fit to systems of points in space*, Philosophical Magazine **2** (1901), no. 6, 559–572.
309. C. Pelletan, *Les guerres de la révolution*, Colas, 1884.
310. A. Pentland, *Recognition by parts*, Proc. Int'l Conf. Computer Vision (ICCV), 1987, pp. 612–620.
311. C. Perrault and E. Le Cain, *Cinderella, or the little glass slipper*, Faber and Faber, 1972.
312. G. Peyre and L. Cohen, *Surface segmentation using geodesic centroidal tessellation*, Proc. Int'l Symp. 3D Data Processing Visualization Transmission, 2004, pp. 995–1002.
313. G. Peyré and L. Cohen, *Geodesic remeshing using front propagation*, Int'l J. Computer Vision (IJCV) **69** (2006), no. 1, 145–156.
314. J. C. Platt, *FastMap, MetricMap, and Landmark MDS are all Nyström algorithms*, Proc. 10th Int'l Workshop on Artificial Intelligence and Statistics, 2005, pp. 261–268.
315. B. T. Polyak, *Minimization of non-smooth functionals*, USSR Computational Mathematics and Mathematical Physics **9** (1969), 14–29.
316. H. Pottmann and M. Hofer, *Geometry of the squared distance function to curves and surfaces*, Visualization and Mathematics III, 2003, pp. 221–242.
317. H. Pottmann, Q. X. Huang, Y. L. Yang, and S. M. Hu, *Geometry and convergence analysis of algorithms for registration of 3D shapes*, Int'l J. Computer Vision (IJCV) **67** (2006), no. 3, 277–296.
318. H. Pottmann, S. Leopoldseher, and M. Hofer, *Registration without ICP*, Computer Vision and Image Understanding **95** (2004), no. 1, 54–71.
319. M. J. D. Powell, *A method for nonlinear constraints in minimization problems*, Optimization (R. Fletcher, ed.), Academic Press, 1969, pp. 283–298.
320. R. J. Prokop and A. P. Reeves, *A survey of moment-based techniques for unoccluded object representation and recognition*, Computer Vision, Graphics, and Image Processing (CVGIP): Graphical Models and Image Processing **54** (1992), no. 5, 438–460.
321. N. Rajeevan, K. Rajgopal, and G. Krishna, *Vector extrapolated fast maximum likelihood estimation algorithm for emission tomography*, IEEE Trans. Medical Imaging **11** (1992), no. 1, 9–20.
322. D. Raviv, A. M. Bronstein, M. M. Bronstein, and R. Kimmel, *Symmetries of non-rigid shapes*, Proc. Workshop on Non-rigid Registration and Tracking through Learning (NRTL), 2007.
323. M. Reuter, F.-E. Wolter, and N. Peinecke, *LaplaceBeltrami spectra as “shape-DNA” of surfaces and solids*, Computer Aided Design **38** (2006), 342–366.

324. B. Riemann, *Über die Hypothesen, welche der Geometrie zu Grunde liegen*, Abhandlungen der Königlichen Gesellschaft der Wissenschaften zu Göttingen **13** (1867).
325. E. Rivlin, S. Dickenson, and A. Rosenfeld, *Recognition by functional parts*, Proc. Computer Vision and Pattern Recognition (CVPR), 1992, pp. 267–275.
326. G. Rosman, A. M. Bronstein, M. M. Bronstein, A. Sidi, and R. Kimmel, *Fast multidimensional scaling using vector extrapolation*, Tech. Report CIS-2008-01, Dept. of Computer Science, Technion, Israel, 2008.
327. G. Rosman, M. M. Bronstein, A. M. Bronstein, and R. Kimmel, *Topologically constrained isometric embedding*, Workshop on Human Motion Understanding, Modeling, Capture and Animation (D. Metaxas, R. Klette, and B. Rosenhahn, eds.), Lecture Notes in Computer Science, vol. 36, Springer, 2007, pp. 243–262.
328. S. T. Roweis and L. K. Saul, *Nonlinear dimensionality reduction by locally linear embedding*, Science **290** (2000), no. 5500, 2323–2326.
329. S. Rusinkiewicz and M. Levoy, *Efficient variants of the ICP algorithm*, Proc. 3D Digital Imaging and Modeling (2001), 145–152.
330. R. M. Rustamov, *Laplace-Beltrami eigenfunctions for deformation invariant shape representation*, Proc. Symp. Geometry Processing (SGP), 2007, pp. 225–233.
331. O. Sacks, *The man who mistook his wife for a hat*, 1986.
332. H. D. Saffrey, *Ageômetrêtos mêdeis eisitô: une inscription légendaire*, Revue des Études grecques **81** (1968), 67–87.
333. M. E. Salukwadze, *Vector-valued optimization problems in control theory*, Academic Press, 1979.
334. T. Samoilov and G. Elber, *Self-intersection elimination in metamorphosis of two-dimensional curves*, Visual Computer **14** (1998), 415–428.
335. P. Sander, Z. Wood, S. Gortler, J. Snyder, and H. Hoppe, *Multi-chart geometry images*, Proc. Symp. Geometry Processing (SGP), 2003, pp. 146–155.
336. L. K. Saul and S. T. Roweis, *Think globally, fit locally: unsupervised learning of low dimensional manifolds*, J. Machine Learning Research (JMLR) **4** (2003), 119–155.
337. H. Schedel, *Liber chronicarum*, 1493.
338. C. Scheidegger, S. Fleishman, and C. T. Silva, *Triangulating point-set surfaces with bounded error*, Proc. Symp. Geometry Processing (SGP) (M. Desbrun and H. Pottmann, eds.), 2005, pp. 63–72.
339. R. J. Schmidt, *On the numerical solution of linear simultaneous equations by an iterative method*, Philosophical Magazine **7** (1941), no. 32, 369–383.
340. I. J. Schoenberg, *Remarks to Maurice Fréchet’s article “sur la définition axiomatique d’une classe d’espace distanciés vectoriellement applicable sur l’espace de Hilbert”*, Annals of Mathematics **36** (1935), no. 3, 724–732.
341. ———, *On certain metric spaces arising from Euclidean spaces by a change of metric and their imbedding in Hilbert space*, Annals of Mathematics **38** (1937), no. 4, 787–793.
342. J. Schreiner, C. Scheidegger, S. Fleishman, and C. T. Silva, *Direct (re)meshing for efficient surface processing*, Proc. Computer Graphics Forum **25** (2006), no. 3, 527–536.
343. J. Schreiner, C. Scheidegger, and C. T. Silva, *High quality extraction of isosurfaces from regular and irregular grids*, IEEE Trans. Visualization and Computer Graphics **12** (2006), no. 5, 1205–1212.

344. P. Schröder and W. Sweldens, *Digital geometry processing*, ACM SIGGRAPH Course Notes (2001).
345. E. L. Schwartz, A. Shaw, and E. Wolfson, *A numerical solution to the generalized mapmaker's problem: flattening nonconvex polyhedral surfaces*, IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI) **11** (1989), 1005–1008.
346. H. A. Schwarz, *Sur une définition erronée de laire d'une surface courbe*, Ges. Math. Abhandl. **2** (1890), 309–311 and 369–370.
347. H. Schweitzer, *Template matching approach to content based image indexing by low dimensional euclidean embedding*, Proc. Int'l Conf. Computer Vision (ICCV), 2001.
348. J. A. Sethian, *A fast marching level set method for monotonically advancing fronts*, Proc. National Academy of Sciences (PNAS) **93** (1996), no. 4, 1591–1595.
349. ———, *Level set methods and fast marching methods*, University Press, Cambridge, 1999.
350. J. A. Sethian and A. Vladimirsky, *Fast methods for the eikonal and related Hamilton-Jacobi equations on unstructured meshes*, Proc. National Academy of Science (PNAS) **97** (2000), no. 11, 5699–5703.
351. D. Shanks, *Nonlinear transformations of divergent and slowly convergent sequences*, J. Mathematical Physics **34** (1955), no. 1.
352. D. F. Shanno, *Conditioning of quasi-newton methods for function minimizations*, Mathematics of Computation **24** (1970), 647–657.
353. M. Shapira and A. Rappoport, *Shape blending using the star-skeleton representation*, IEEE Trans. Computer Graphics and Application **15** (1995), no. 2, 44–51.
354. I. Shatz, A. Tal, and G. Leifman, *Paper craft models from meshes*, Visual Computer **22** (2006), no. 9, 825–834.
355. R. N. Shepard, *The analysis of proximities: multidimensional scaling with an unknown distance function*, Psychometrika **27** (1964), 219–246.
356. J. W. Shepherd, G. M. Davies, and H. D. Ellis, *Studies of cue saliency, Perceiving and remembering faces* (G. M. Davies, H. D. Ellis, and J. W. Shepherd, eds.), Academic Press, 1981.
357. K. Siddiqi and B. Kimia, *Parts of visual form: Computational aspects*, IEEE Trans. Pattern Analysis and Machine Intelligence (PAMI) **17** (1995), 239–251.
358. ———, *A shock grammar for recognition*, Proc. Computer Vision and Pattern Recognition (CVPR), 1996, pp. 507–513.
359. A. Sidi, *Efficient implementation of minimal polynomial and reduced rank extrapolation methods*, J. Computational and Applied Mathematics **36** (1991), no. 3, 305–337.
360. ———, *Efficient implementation of minimal polynomial and reduced rank extrapolation methods*, J. Computational and Applied Mathematics **36** (1991), 305–337.
361. ———, *Vector extrapolation methods with applications to solution of large systems of equations and to PageRank computations*, (2007), no. CIS-2007-09.
362. A. Sidi and J. Bridger, *Convergence and stability analyses for some vector extrapolation methods in the presence of defective iteration matrices*, J. Computational and Applied Mathematics **22** (1988), 35–61.
363. A. Sidi and Y. Shapira, *Upper bounds for convergence rates of acceleration methods with initial iterations*, Numerical Algorithms **18** (1998), 113–132.

364. A. Singer, *From graph to manifold Laplacian: the convergence rate*, Applied and Computational Harmonic Analysis **21** (2006), 128–134.
365. L. Sirovich and M. Kirby, *Low-dimensional procedure for the characterization of human faces*, J. Optical Society of America (JOSA) A **2** (1987), 519–524.
366. D. A. Smith, W. F. Ford, and A. Sidi, *Extrapolation methods for vector sequences*, SIAM Review **29** (1987), no. 2, 199–233.
367. A. Spira and R. Kimmel, *An efficient solution to the eikonal equation on parametric manifolds*, Interfaces and Free Boundaries **6** (2004), no. 4, 315–327.
368. T. Surazhsky and G. Elber, *Matching free form surfaces*, Computers and Graphics **26** (2001), no. 1.
369. V. Surazhsky and C. Gotsman, *Controllable morphing of compatible planar triangulations*, ACM Trans. Graphics **20** (2001), no. 4, 203–231.
370. ———, *Intrinsic morphing of compatible triangulations*, Int'l J. Shape Modeling **9** (2003), no. 2, 191–201.
371. V. Surazhsky, T. Surazhsky, D. Kirsanov, S. Gortler, and H. Hoppe, *Fast exact and approximate geodesics on meshes*, Proc. SIGGRAPH, 2005, pp. 553–560.
372. H. T. Tanaka, M. Ikeda, and H. Chiaki, *Curvature-based face surface recognition using spherical correlation principal directions for curved object recognition*, Proc. Int'l Conf. Automated Face and Gesture Recognition, 1998, pp. 372–377.
373. J. W. H. Tangelder and R. C. Veltkamp, *A survey of content based 3D shape retrieval methods*, Proc. Shape Modeling and Applications, 2004, pp. 145–156.
374. G. Taubin, *A signal processing approach to fair surface design*, ACM, 1995.
375. G. Taubin, *Geometric signal processing on polygonal meshes*, Eurographics State of the Art Report (2000).
376. M. R. Teague, *Image analysis via the general theory of moments*, J. Optical Society of America (JOSA) **70** (1979), 920–930.
377. J. B. Tenenbaum, V. de Silva, and J. Langford, *A global geometric framework for nonlinear dimensionality reduction*, Science **290** (2000), no. 5500, 2319–2323.
378. A. H. Thiessen, *Precipitation averages for large areas*, Monthly Weather Review **39**, no. 7, 1082–1089.
379. W. S. Torgerson, *Multidimensional scaling I - theory and methods*, Psychometrika **17** (1952), 401–419.
380. M. Trosset and R. Mathar, *On the existence of nonglobal minimizers of the stress criterion for metric multidimensional scaling*, Proc. Statistical Computing Section, American Statistical Association, 1997, pp. 158–162.
381. U. Trottenberg, C. Oosterlee, and A. Schüller, *Multigrid*, Academic Press, London, 2001.
382. Y. R. Tsai, L. T. Cheng, S. Osher, and H. Zhao, *Fast sweeping algorithms for a class of Hamilton-Jacobi equations*, SIAM J. Numerical Analysis (SINUM) **41** (2003), no. 2, 673–694.
383. J. N. Tsitsiklis, *Efficient algorithms for globally optimal trajectories*, IEEE Trans. Automatic Control **40** (1995), no. 9, 1528–1538.
384. M. Turk and A. Pentland, *Face recognition using eigenfaces*, Proc. Computer Vision and Pattern Recognition (CVPR), 1991, pp. 586–591.
385. A. Tversky, *Feature of similarity*, Psychological Review **84** (1977), no. 4, 327–350.

386. R. Varadhan and C. Roland, *Squared extrapolation methods (SQUAREM): A new class of simple and efficient numerical schemes for accelerating the convergence of the EM algorithm*, Tech. Report 63, Department of Biostatistics Working Paper, Johns Hopkins University, 2004.
387. R. C. Veltkamp, *Shape matching: similarity measures and algorithms*, Int'l Conf. Shape Modeling and Applications, 2001, pp. 188–197.
388. R. C. Veltkamp and M. Hagedoorn, *Shape similarity measures, properties, and constructions*, (2001).
389. M. F. Vignéras, *Variétés riemanniennes isospectrales et non isométriques*, *Annals of Mathematics* **112** (1980), no. 2, 21–32.
390. G. F. Voronoi, *Nouvelles applications des paramètres continus à la théorie des formes quadratiques.*, *J. für die Reine und Angewandte Mathematik* **138** (1908), 198–287.
391. J. T.-L. Wang, X. Wang, K.-I. Lin, D. Shasha, B. A. Shapiro, and K. Zhang, *Evaluating a class of distance-mapping algorithms for data mining and clustering*, Proc. Int'l Conf. Knowledge Discovery and Data Mining (KDD), 1999, pp. 307–311.
392. M. Wardetzky, S. Mathur, F. Kälberer, and E. Grinspun, *Discrete Laplace operators: no free lunch*, Proc. Symp. Geometry Processing (SGP), 2007, pp. 33–37.
393. P. Wesseling, *An introduction to multigrid methods*, John Wiley, Chichester, 1992.
394. H. Weyl, *Über die Asymptotische Verteilung der Eigenwerte*, *Nachrichten von der Königlichen Gesellschaft der Wissenschaften zu Göttingen* (1911), 110–117.
395. H. Weyl, *Symmetry*, Princeton University Press, 1983.
396. C. Wheatstone, *Contributions to the physiology of vision. Part the first: On some remarkable, and hitherto unobserved, phenomena of binocular vision*, *Philosophical Trans. Royal Society of London* **128** (1838), 371–394.
397. C. K. I. Williams, *Advances in neural information processing systems*, vol. 13, ch. On a connection between kernel PCA and metric multidimensional scaling, MIT press, 2001.
398. M. Williams and T. Munzner, *Steerable, progressive multidimensional scaling*, Proc. INFOVIS, 2004, pp. 57–64.
399. L. Wiskott, *Labeled graphs and dynamic link matching for face recognition and scene analysis*, *Reihe Physik* **53** (1995).
400. F. E. Wolter, *Cut locus and medial axis in global shape interrogation and representation*, MIT Ocean Engineering Design Laboratory, Memorandum 92-2, 1992.
401. J. D. Wolter, T. C. Woo, and R. A. Volz, *Optimal algorithms for symmetry detection in two and three dimensions*, *The Visual Computer* **1** (1985), 37–48.
402. G. Xu, *Convergence of discrete Laplace-Beltrami operators over surfaces*, *Computers and Mathematics with Applications* **48** (2004), no. 3-4, 347–360.
403. ———, *Discrete Laplace-Beltrami operators and their convergence*, *Computer Aided Geometric Design* **21** (2004), no. 8, 767–784.
404. L. Yatziv, A. Bartesaghi, and G. Sapiro, *$O(N)$ implementation of the fast marching algorithm*, *J. Computational Physics* **212** (2006), no. 2, 393–399.
405. F. W. Young and R. M. Hamer, *Theory and applications of multidimensional scaling*, Eribaum Associates, 1994.
406. G. Young and A. S. Householder, *Discussion of a set of point in terms of their mutual distances*, *Psychometrika* **3** (1938), 19–22.

407. L. A. Zadeh, *Fuzzy sets*, Information and Control **8** (1965), 338–353.
408. ———, *Fuzzy sets as a basis for a theory of possibility*, Fuzzy Sets and Systems **1** (1978), no. 1, 3–28.
409. D. Zhang and G. Lu, *Review of shape representation and description techniques*, Pattern Recognition **37** (2004), 1–19.
410. Z. Zhang and H. Zha, *Principal manifolds and nonlinear dimension reduction via local tangent space alignment*, Technical Report CSE-02-019, Department of Computer Science and Engineering, Pennsylvania State University, 2002.
411. H. Zhao, *Fast sweeping method for eikonal equations*, Mathematics of Computation **74** (2005), 603–627.
412. W. Zhao, R. Chellappa, and A. Krishnaswamy, *Subspace linear discriminant analysis for face recognition*, Proc. Int. Conf. Automatic Face and Gesture Recognition, 1998, pp. 336–341.
413. W. Zhao, R. Chellappa, A. Rosenfeld, and P. J. Phillips, *Face recognition: A literature survey*, ACM Computing Surveys (2003), 399–458.
414. M. Zibulevsky, *Penalty/barrier multiplier methods for large-scale nonlinear and semidefinite programming*, Ph.D. thesis, Technion, 1996.
415. G. Zigelman, R. Kimmel, and N. Kiryati, *Texture mapping using surface flattening via multi-dimensional scaling*, IEEE Trans. Visualization and Computer Graphics (TVCG) **9** (2002), no. 2, 198–207.
416. H. J. Zimmermann, *Fuzzy set theory and its applications*, Kluwer, 2001.